




# BACK IN 1933, during the Great

Depression, Henry Ariens had a vision, an idea on how to improve rotary tiller machines. That idea sparked the birth of the Ariens Company in the small town of Brillion, Wisconsin. Today Ariens is a globally recognized manufacturer that engineers and builds power equipment unparalleled on the world stage. This fifth generation, family-owned company remains rooted in the same small-town, and continues the same principles of hard work and integrity forged by Henry 90 years ago.







# AT ARIENS®, WE'RE TAKING THE WORK OUT OF YARD WORK.

Ariens engineering eases your yard work with comfort, innovative design and durable construction to give you a great lawn every time you leave your garage. Our products do more than cut grass, they create confidence, helping you take your lawn to the next level.

Every piece of Ariens lawn equipment has been designed in Brillion.

A small Wisconsin town where hard work and a hand shake is
still a way of life. It's here that Henry Ariens built a reputation for
excellence that is now found in garages like yours around the world.

Whether you're facing overwhelming acreage, hills, or just your little plot of lawn, Ariens has the tools and expertise to make your effort go further and make your work rewarding.









# A NEW DIRECTION FOR WALK-BEHIND MOWERS.

The new Ariens® RAZOR walk-behind mower is the right choice for anyone who takes pride in their lawn. This versatile machine quickly converts between mulching, bagging or rear discharge, making it the perfect option for any home owner. You'll mow hrough thick, tall grass with ease with the deep 5.5"deck. Every RAZOR comes standard with a powerful Briggs & Stratton® engine with Readystart®, which never needs an oil change.

# REFLEX™ DRIVE SYSTEM

REFLEX™ speed control technology matches the mower to your pace between 1 and 4 MPH. The Ariens REFLEX drive system is available on select models.

#### 3-IN-1 DESIGN TO MOW YOUR WAY

This versatile machine quickly converts between mulching, bagging, or rear discharge - your choice.

# **DUAL LEVER HEIGHT ADJUSTMENT**

Quickly change the cutting height between 7 different positions from 1 to 4 inches.

# 14 GAUGE STEEL DECK

5.5" deep deck delivers superior mulching results while its 14-gauge steel provides more durability.

# CUSTOM WHEELS

8-inch front and 10-inch rear wheels ensure smooth, easy rolling operation over all types of terrain.

# LARGE BAGGER WITH DUST BLOCK

2-bushel bagger saves time since it cuts down on how often you need to empty it.

# DUAL BLADE DESIGN - AVAILABLE

Dual cutting blades atomize grass as the primary blade's LaserEdge® Eversharp™ technology stays sharp longer and self-sharpens while cutting.

# RAZOR PUSH

# 911600



# RAZOR **SELF PROPELLED**

# 911605

Briggs & Stratton® EXi725 Engine Front Wheel Drive. Bale Control



# RAZOR REFLEX™ **SELF PROPELLED**

# 911602

Briggs & Stratton® EXi725 Engine Rear Wheel Drive. **REFLEX Speed Control** 





# RAZOR DUAL BLADE REFLEX™ **SELF PROPELLED**

# 911603

Briggs & Stratton® EXi875 Engine Rear Wheel Drive. Reflex Speed Control











# BIG PERFORMANCE PERFECT FOR SMALLER LAWNS.

Compact and packed with features, the EDGE provides an exemplary combination of comfort, durability, and versatility. Engineered to glide through tight spaces and manage tricky angles, the EDGE's zero-turn flexibility makes it a workhorse for small and medium lawns.

#### 7-POSITION HEIGHT OF CUT

A foot operated deck lift system makes cutting height adjustments a breeze. Hand lever can adjust the deck in  $\frac{1}{2}$ " increments.

#### **DEPENDABLE POWER**

Briggs & Stratton® V-Twin or Kawasaki® V-Twin engines are reliable and always ready to tackle the weekend mow and more.

#### **UPDATED GRAPHICS**

New graphics deliver a high "wow factor" at first glance and beyond. They quickly tell the world this is not just any ordinary mower.

#### MOWER DECK

Choose from a 34" stamped deck, sized to fit through standard gates and handle medium-sized lawns, or commercial-inspired 42" and 52" 11-gauge fabricated decks.



# **EDGE 34**

915281 20 hp / 656 cc Briggs & Stratton® EXi2000 Engine

34 in, 12ga. Stamped Steel Deck



**EDGE 42** 

915283

20 hp / 656 cc Briggs & Stratton® EXi2000 Engine 42 in, 11ga. Fabricated Steel Deck



EDGE 52

915285
21.5 hp / 726 cc
Kawasaki® FR651V Engine
52 in, 11ga. Fabricated Steel Deck





# DISCOVER THE DIFFERENCE EACH DETAIL MAKES.

You'll find upgrades on every inch of the all-new IKON. Stacked with horsepower, the IKON easily takes on your toughest acreage without sacrificing operator comfort. Innovative new features make even all-day mowing effortless.



# NEW HEIGHT OF CUT SYSTEM WITH 13 POSITIONS

The foot operated deck lift raises the deck quickly to avoid obstacles or to adjust height. It also has an easy-to-use commercial-style magnetic tapered pin to prevent unwanted rattles.



# NEW LED FRONT LIGHTS COME STANDARD ON EVERY IKON

Super bright dual forward lights are 600 lumens so you can see and be seen.

(WARNING, DO NOT OPERATE MOWER AT NIGHT)



# NEW USB PHONE CHARGING PORT AND SECURE CELL PHONE HOLDER

Stay fully charged while on your IKON. A handy and secure phone holder now comes standard with USB charging capabilities on every Ariens IKON model.



# NEW EASY ACCESS DECK PANEL FOR SIMPLE AND EASY CLEAN OUT

With its all-new flip-up, access panel, cleanup is a breeze on the IKON. Quickly access critical, hard to reach places to dispatch clogs and clumps with ease.



# BUILT TO TAKE WHATEVER YOUR YARD DISHES OUT.

Our full-line of IKON zero turns covers a wide range of needs. From the nimble 42 inch to the acre-chewing power of the IKON 60, there's a bright orange IKON perfect for any garage and any yard.

#### INTRODUCING THE ENVY™ ELITE CUTTING SYSTEM

Envy's 4 1/2 inch-deep 11-gauge fabricated steel deck is designed for optimized airflow for our best cut on a residential machine. Caged anti-scalp wheels protect your lawn from scalping when hitting uneven terrain.

#### NOW WITH A TALLER AND WIDER SEAT WITH MOLDED ARMRESTS

Ready for the long mow! This seat is 22" tall to provide more back support and is mounted on a taller seat base to make it easier to stand up and sit down. Molded armrests give your arms rest too.

#### **NEW ONE-PIECE, FULLY-WELDED TUBULAR CHASSIS**

This all-new chassis displays strength and durability. Its closed tube frame rails and fully welded construction techniques were influenced by our commercial mowers.



# IKON 42

#### 918002

21.5 hp / 726 cc Kawasaki® FR651V Engine 42 in, 11ga. Steel, ENVY™ Deck



# IKON 48

# 918003

21.5 hp / 726 cc Kawasaki® FR651V Engine 48 in, 11ga. Steel, ENVY™ Deck



# IKON 52

# 918005

23 hp / 726 cc Kawasaki® FR691 Engine 52 in, 11ga. Steel, ENVY™ Deck



# IKON 60

# 918006

23 hp / 726 cc Kawasaki® FR691V Engine 60 in, 11ga. Steel, ENVY™ Deck









# THE NEW APEX IS THE PINNACLE OF PERFORMANCE.

Engineered with tons of power and designed for large scale meticulous cutting, the APEX offers two top-notch motor options - Kawasaki® FR V-Twin or Kohler® 7000 Series V-Twin. But APEX doesn't just handle beautifully; it looks great too! With its phenomenal graphics and unique premium stitched high back seat, APEX surpasses industry expectations.

#### **COMMERCIAL FEATURES**

22" rear and 13" front tires provide solid traction. Metal open ended belt covers and a floor pan that lifts to access the top of the deck for cleaning.

#### MOLDED HANDGRIPS

Ergonomically designed down to the last dimple, these grips will make you the master of your APEX, giving you total control through every turn.

#### COMFORTABLE HIGH BACK SEAT

A 20" seat built for long mowing days that looks as great as it feels. It comes complete with arm rests for less fatigue.

#### INTRODUCING THE ENVY™ ELITE CUTTING SYSTEM

ENVY's a 5 1/2 inch-deep, 10-gauge fabricated steel deck that is designed for optimized airflow for our best cut on a residential machine. Caged anti-scalp wheels protect your lawn from damage from minor bumps and scrapes.



# **APEX 48**

# 991161

23 hp / 725 cc Kohler® KT730 Engine 48 in, 10ga. Steel, ENVY™ Deck



# APEX 52

# 991159

23 hp / 726 cc Kawasaki® FR691V 52 in, 10ga. Steel, ENVY™ Deck



# APEX 60

# 991163

24 hp / 726 cc Kawasaki® FR730V 60 in, 10ga. Steel, ENVY™ Deck



# WELCOME TO PROFESSIONAL PERFORMANCE.

The ZENITH is a cutting machine unlike any other. It starts with power; 23.5hp of commercial-grade Kawasaki® FX V-Twin engine strength that easily handles acre after acre of tough grass. And once you hop in the premium high back driver seat, you'll understand why it stands out from the competition.

#### COMMERCIAL FEATURES THROUGHOUT

ZENITH's metal belt covers have open ends for easy debris removal, built with rubber discharge chute for flexibility and a Rollover Protection System.

# INTRODUCING THE ENVY™ ELITE CUTTING SYSTEM

Envy's 5 1/2 inch-deep 10-gauge fabricated steel deck provides optimal airflow in all mowing conditions for professional cutting performance.

#### **POWER AT YOUR COMMAND**

Commercial Kawasaki® FX engine comes with canister filtration for added durability.

# TALL AND WIDE SEAT WITH PADDED ARMRESTS

A 20" high-back seat that looks as great as it feels with a pop of color in the contoured seams. Built for long mowing days, it comes complete with arm rests for less fatigue.

# **DURABLE ONE-PIECE, TUBULAR CHASSIS**

Fully-welded steel frame is both validated by our engineers and proven in the field.







# THE DIFFERENCE IS CLEAR.

Sweep your driveway clean. The Ariens Power Brush clears leaves, sand, slush, snow, and more, all the way down to the pavement. The 40-degree pivoting brush head pushes it in the direction you want.

#### **ALL-SEASON USE**

From clearing the ice, snow and sludge in winter, to dethatching the lawn in spring, the power brush has use in any season.

#### **BRUSH ANGLE**

With 40-degree brush head rotation and operator-controlled pivot lock, dirt and debris have no place to hide.

#### **HEIGHT ADJUSTMENT SYSTEM**

Easily adjust the brush level to accommodate varying surfaces and minimize brush wear.

# **CLEAN TO PAVEMENT**

The versatility of the power brush allows you to clean clear to the surface in any season and any condition.



# **POWER BRUSH 28**

**921067** 28 in Clearing Width 179 cc Ariens® AX Engine



# **POWER BRUSH 36**

**921087** 36 in Clearing Width 277 cc Kohler® CH395 Engine




# **HYDRO POWER BRUSH 36**

**921068** 28 in Clearing Width 277 cc Kohler® CH395 Engine

# COMFORT AND QUALITY BEYOND EXPECTATIONS.

Prepare to be wowed. After all, the Ariens family only puts their name on machines that are made to perform the best, will last long enough to be handed down from generation to generation, and take the pain out of mowing acre after acre after acre. It's more than just a brand. Our family name is your assurance you've purchased something you can rely on and will be part of your family for years to come.





# PRODUCT SPECIFICATIONS

DESIGNATION	RAZOR PUSH	RAZOR SELF PROPELLED	RAZOR REFLEX™ SELF PROPELLED	RAZOR  OUAL BLADE  REFLEX™ SELF PROPELLED
MODEL #	911600	911605	911602	911603
ENGINE	Briggs & Stratton® EX625	Briggs & Stratton® EXi725	Briggs & Stratton® EXi725	Briggs & Stratton® EXi875
DISPLACEMENT	150cc	163 cc	163 cc	190 cc
DRIVE SYSTEM	N/A	Front Wheel Drive, Bale Control	Rear Wheel Drive, REFLEX Speed Control	Rear Wheel Drive, REFLEX Speed Control
CUTTING WIDTH	21"	21"	21"	21"
BLADE	Standard High Lift	Standard High Lift	Standard High Lift	Dual Blade with LaserEdge® Technology
CUTTING CONFIGURATION	3-1 Design (Mulch, Bag, Rear)			
HEIGHT OF CUT	7 Position, 1-4" Front / Rear Adjustment			
HANDLE POSITIONS	3 Operating Positions plus Stow			
FRONT WHEEL	8" Light Gray	8" Dark Gray	8" Black	8" Ball Bearing, Black
REAR WHEEL	10" Light Gray	10" Dark Gray	10" Black	10" Ball Bearing, Black
DECK MATERIAL	14 Gauge Steel	14 Gauge Steel	14 Gauge Steel	14 Gauge Steel
VERTICAL STORAGE	N/A	N/A	Standard	Standard
WARRANTY	WARRANTY 3 Year Limited 2 Year Engine		4 Year Limited 2 Year Engine	4 Year Limited 2 Year Engine

# PRODUCT SPECIFICATIONS

DESIGNATION	EDGE 34	EDGE 42	EDGE 52
MODEL #	915281	915283	915285
ENGINE	Briggs & Stratton® EXi2000	Briggs & Stratton® EXi2000	Kawasaki® FR651V
HORSEPOWER	20 hp	20 hp	21.5 hp
DISPLACEMENT	656 cc	656 cc	726 cc
DRIVE SYSTEM	Hydro-Gear® EZT® Transaxles	Hydro-Gear® EZT® Transaxles	Hydro-Gear® EZT® Transaxles
FUEL CAPACITY	2 gal	2 gal	2 gal
GROUND SPEED (APPROX. MPH, FWD/REV)	6MPH / 3MPH	6MPH / 3MPH	6MPH / 3MPH
DECK MATERIAL	12ga Steel	11ga Steel	11ga Steel
DECK CONSTRUCTION	Stamped	Fabricated	Fabricated
NUMBER OF SPINDLES	2	2	3
BLADE TIP SPEED	18179 FPM	17126 FPM	16977 FPM
SPINDLE MATERIAL	Steel	Forged Aluminum	Forged Aluminum
SPINDLE SHAFT	Steel	Steel	Steel
DECK ENGAGEMENT	Electric Warner	Electric Warner	Electric Warner
LIFT SYSTEM	Foot Operated	Foot Operated	Foot Operated
CUTTING WIDTH	34 in	42 in	52 in
CUTTING HEIGHT	1.5-4.5 in	1.5-4.5 in	1.5-4.5 in
CUTTING POSITIONS	7	7	7
FRONT WHEELS	11 x 4-5 in	11 x 4-5 in	11 x 4-5 in
BACK WHEELS	18 x 6.5-8 in	18 x 8.5-8 in	18 x 9.5-8 in
SEAT	High Back w/knob adjust.	High Back w/knob adjust.	High Back w/knob adjust.
HOUR METER	Standard	Standard	Standard
WEIGHT	445 lbs	498 lbs	551 lbs
LENGTH	68 in	68 in	68 in
WIDTH, CHUTE DOWN	44.8 in	54.8 in	64.2 in
WIDTH, CHUTE UP	41.8 in	46.3 in	55.4 in
HEIGHT	40.2 in	40.2 in	40.2 in
WARRANTY (MACHINE)	2 Years or 150 Hours	2 Years or 150 Hours	2 Years or 150 Hours
ATTACHMENTS & ACCESSORIES	2 Bucket Bagger, Mulching Kits, Trailer hitch, Plug Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Wheel Covers, Shoulder support system, Arm Rest Kit, Equipment Cover	2 Bucket Bagger, Mulching Kits, Trailer hitch, Plug Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Wheel Covers, Shoulder support system, Arm Rest Kit, Equipment Cover	2 Bucket Bagger, Mulching Kits, Trailer hitch, Plug Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Wheel Covers, Shoulder support system, Arm Rest Kit, Equipment Cove

DESIGNATION	IKON 42	IKON 48	IKON 52	IKON 60
MODEL #	918002	918003	918005	918006
ENGINE	Kawasaki® FR651V	Kawasaki® FR651V	Kawasaki® FR691	Kawasaki® FR691V
HORSEPOWER	21.5 hp	21.5 hp	23 hp	23 hp
DISPLACEMENT	726 cc	726 cc	726 cc	726 cc
DRIVE SYSTEM	Hydro-Gear® EZT® Transaxles	Hydro-Gear® EZT® Transaxles	Hydro-Gear® EZT® Transaxles	Hydro-Gear® EZT® Transaxles
FUEL CAPACITY	3.5 gal	3.5 gal	3.5 gal	3.5 gal
GROUND SPEED (APPROX. MPH, FWD/REV)	7MPH / 3MPH	7MPH /3 MPH	7MPH / 3MPH	7MPH / 3MPH
STARTER	Electric	Electric	Electric	Electric
DECK MATERIAL	11ga Steel	11ga Steel	11ga Steel	11ga Steel
DECK CONSTRUCTION	Fabricated ENVY™ deck	Fabricated ENVY™ deck	Fabricated ENVY™ deck	Fabricated ENVY™ deck
NUMBER OF SPINDLES	3	3	3	3
BLADE TIP SPEED	17821 FPM	17887 FPM	18355 FPM	17148 FPM
SPINDLE MATERIAL	Forged Aluminum	Forged Aluminum	Forged Aluminum	Forged Aluminum
SPINDLE SHAFT	Steel	Steel	Steel	Steel
DECK ENGAGEMENT	Electric Warner	Electric Warner	Electric Warner	Electric Warner
DECK LIFT SYSTEM	Foot Operated	Foot Operated	Foot Operated	Foot Operated
CUTTING WIDTH	42 in	48 in	52 in	60 in
CUTTING HEIGHT	1.5-4.5 in	1.5-4.5 in	1.5-4.5 in	1.5-4.5 in
CUTTING POSITIONS	13	13 13		13
FRONT WHEELS	11 x 6-5 in	11 x 6-5 in	11 x 6-5 in 11 x 6-5 in	
BACK WHEELS	20 x 8-8 in	20 x 10-8 in	20 x 10-8 in	20 x 10-8 in
SEAT	22" High Back w/ lever adjust and armrests.			22" High Back w/ lever adjust and armrests.
DUAL LED HEADLIGHTS	Standard	Standard	Standard	Standard
WEIGHT	654 lbs	662 lbs	682 lbs	702 lbs
LENGTH	74.5 in	74.5 in	74.5 in	74.5 in
WIDTH, CHUTE DOWN	55.6 in	61.6 in	66.1 in	73.6 in
WIDTH, CHUTE UP	44.5 in	50.5 in	55.0 in	62.5 in
HEIGHT	46 in	46 in	46 in	46 in
WARRANTY (MACHINE)	3 Year or 300 Hours			
ATTACHMENTS & ACCESSORIES	2 Bucket Non Powered Bagger, Mulching kits, Trailer Hitch, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Shoulder Support System,	2 Bucket Non Powered Bagger, Mulching kits, Trailer Hitch, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Shoulder Support System,	2 Bucket Non Powered Bagger, Mulching kits, Trailer Hitch, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Shoulder Support System,	2 Bucket Non Powered Bagger, Mulching kits, Trailer Hitch, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Shoulder Support System,
	Wheel covers, Equipment Cover	Wheel covers, Equipment Cover	Wheel covers, Equipment Cover	Wheel covers, Equipment Cove




# PRODUCT SPECIFICATIONS

DESIGNATION	APEX® 48	APEX® 52	APEX® 60	ZENITH 60
MODEL #	991161	991159	991163	991158
ENGINE	Kohler® KT730	Kawasaki® FR691V	Kawasaki® FR730V	Kawasaki® FX730V
HORSEPOWER	23 hp	23 hp	24 hp	23.5 hp
DISPLACEMENT	725 cc	726 cc	726 cc	726 cc
DRIVE SYSTEM	Hydro-Gear® ZT-3100® Transaxles	Hydro-Gear® ZT-3100® Transaxles	Hydro-Gear® ZT-3100® Transaxles	Hydro-Gear® ZT-3100® Transaxles
FUEL CAPACITY	5.1 gal	5.1 gal	5.1 gal	5.1 gal
GROUND SPEED (APPROX. MPH, FWD/REV)	8 MPH / 4 MPH	8 MPH / 4 MPH	8 MPH / 4 MPH	8 MPH / 4 MPH
STARTER	Electric	Electric	Electric	Electric
DECK MATERIAL	10ga steel	10ga steel	10ga steel	10ga Steel
DECK CONSTRUCTION	Fabricated ENVY™ deck	Fabricated ENVY™ deck	Fabricated ENVY™ deck	Fabricated ENVY™ deck
NUMBER OF SPINDLES	3	3	3	3
BLADE TIP SPEED	18576 FPM	18137 FPM	18464 FPM	18464 FPM
SPINDLE MATERIAL	Forged Aluminum	Forged Aluminum	Forged Aluminum	Forged Aluminum
SPINDLE SHAFT	Forged Steel	Forged Steel	Forged Steel	Forged Steel
DECK ENGAGEMENT	Electric Warner	Electric Warner	Electric Warner	Electric Warner
DECK LIFT SYSTEM	Foot Operated	Foot Operated	Foot Operated	Foot Operated
CUTTING WIDTH	48 in	52 in	60 in	60 in
CUTTING HEIGHT	1.5-5 in	1.5-5 in	1.5-5 in	1.5-5 in
CUTTING POSITIONS	15	15	15	15
FRONT WHEELS	13 x 6.5-6 in	13 x 6.5-6 in 13 x 6.5-6 in		13 x 6.5-6 in
BACK WHEELS	22 x 10-12 in	22 x 10-12 in 22 x 10.5-12 in 22 x 12-12 in		22 x 12-12 in
SEAT	20" High Back w/ lever adjust and padded armrests.	20" High Back w/ lever adjust and padded armrests.	20" High Back w/ lever adjust and padded armrests.	20" High Back w/ lever adjust isolation, and padded armrests.
HOUR METER	Standard	Standard Standard		Standard
WEIGHT	778 lbs	816 lbs	845 lbs	930 lbs
LENGTH	79 in	79 in	79 in	79 in
WIDTH, CHUTE DOWN	61.9 in	67.3 in	74.8 in	74.8 in
WIDTH, CHUTE UP	50.8 in	56.2 in	63.7 in	63.7 in
HEIGHT	47 in	47 in	47 in	72 in (ROPS Extended)
WARRANTY (MACHINE)	4 Year or 500 Hours	4 Year or 500 Hours	4 Year or 500 Hours	4 Year or 750 Hours
ATTACHMENTS & ACCESSORIES	LED Headlights, Trailer Hitch, Striping Kit, Sunshade, Seat Kits, Suspension Caster Forks Caster Forks, Tires, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Equipment Cover, Powered Bagger, Mulch Kit	LED Headlights, Trailer Hitch, Striping Kit, Sunshade, Seat Kits, Suspension Caster Forks Caster Forks, Tires, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Equipment Cover, Powered Bagger, Mulch Kit	LED Headlights, Trailer Hitch, Striping Kit, Sunshade, Seat Kits, Suspension Caster Forks Caster Forks, Tires, Aerator, Poly Roller, Dethatcher, Sprayer, Spreader, Equipment Cover, Powered Bagger, Mulch Kit	Powered Bagger, Bagger mount kit, Discharge cover kit, Mulching kit, Chute Baffle, Reatire, LED Headlights, Trailer Hitch, Striping kit, Sunshade

ATTACHMENTS & Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains	DESIGNATION	POWER BRUSH 28	POWER BRUSH 36	POWER BRUSH 36 HYDRO
ENGINE BRAND	MODEL #	921067	926087	926088
STARTING SYSTEM   120V/Recoil   120V/Recoil   12V KEY START	ENGINE POWER	179CC	277CC	277CC
CLEARING WIDTH         28 in (71.2 cm)         36 in (91.4 cm)         36 in (91.4 cm)           TIRE SIZE         16 X 4.8 in (41 X 12 cm)         16 X 6.5 in (41 X 17 cm)         16 X 6.5 in (41 X 17 cm)           TIRE TYPE         Directional Snow Tread         Directional Snow Tread         Directional Snow Tread           STEERING         Auto-Turn         Auto-Turn         Auto-Turn           DRIVE TYPE         Disc-O-Matic         Disc-O-Matic         Hydrostatic           SPEEDS         6 Forward / 2 Reverse         1 Infinite           GEAR CASE N/A         Cast Aluminum         Cast Aluminum           GEAR CASE WARRANTY         N/A         N/A         N/A           AUGER DIAMETER         18 in (45.7 cm)         25 in (63.5 cm)         25 in (63.5 cm)         25 in (63.5 cm)           AUGER TYPE         Brush         Brush         Brush         Brush         Brush           PRODUCT WARRANTY 90 Day Comm         3yr Res, 3yr Res, 3yr Res, 3yr Res, 3yr Res, 90 Day Comm         3yr Res,	ENGINE BRAND	Ariens® AX	Kohler® CH395	Kohler® CH395
CLEARING WIDTH	STARTING SYSTEM	120V/Recoil	120V/Recoil	12V KEY START
TIRE SIZE	CLEARING WIDTH			
Show Tread	TIRE SIZE			
DRIVE TYPE         Disc-O-Matic         Disc-O-Matic         Hydrostatic           SPEEDS         6 Forward / 2 Reverse         1 Infinite           GEAR CASE         N/A         Cast Aluminum         Cast Aluminum           GEAR CASE WARRANTY         N/A         N/A         N/A           AUGER DIAMETER         18 in (45.7 cm)         25 in (63.5 cm)         25 in (63.5 cm)           AUGER TYPE         Brush         Brush         Brush           PRODUCT WARRANTY         3yr Res, 3yr Res, 3yr Res, 3yr RES, 4yr RE	TIRE TYPE			
SPEEDS         6 Forward / 2 Reverse         2 Reverse         2 Reverse         Infinite           GEAR CASE         N/A         Cast Aluminum         Cast Aluminum           GEAR CASE WARRANTY         N/A         N/A         N/A           AUGER DIAMETER         18 in (45.7 cm)         25 in (63.5 cm)         25 in (63.5 cm)           AUGER TYPE         Brush         Brush         Brush           PRODUCT WARRANTY         3yr Res, 3yr Res, 3yr Res, 3yr Res, 3yr RES, 1YR Comm         3yr RES, 1YR Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8 kg)           LIGHTS         N/A         LED         LED           ATTACHMENTS & ACCESSORIES         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,         Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,	STEERING	Auto-Turn	Auto-Turn	Auto-Turn
SPEEDS         2 Reverse         2 Reverse         Infinite           GEAR CASE         N/A         Cast Aluminum         Cast Aluminum           GEAR CASE WARRANTY         N/A         N/A         N/A           AUGER DIAMETER         18 in (45.7 cm)         25 in (63.5 cm)         25 in (63.5 cm)           AUGER TYPE         Brush         Brush         Brush           PRODUCT WARRANTY         3yr Res, 3yr Res, 1YR Comm         3yr RES, 1YR Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8 kg)           LIGHTS         N/A         LED         LED    ATTACHMENTS & Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,	DRIVE TYPE	Disc-O-Matic	Disc-O-Matic	Hydrostatic
GEAR CASE WARRANTY         N/A         N/A         N/A           AUGER DIAMETER         18 in (45.7 cm)         25 in (63.5 cm)         25 in (63.5 cm)           AUGER TYPE         Brush         Brush         Brush           PRODUCT WARRANTY         3yr Res, 3yr Res, 14 Comm         3yr Res, 3yr Res, 14 Comm         3yr Res, 14 Comm         11 Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8 kg)           LIGHTS         N/A         LED         LED    ATTACHMENTS & Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debr	SPEEDS			Infinite
WARRANTY         N/A         N/A         N/A           AUGER DIAMETER         18 in (45.7 cm)         25 in (63.5 cm)         25 in (63.5 cm)           AUGER TYPE         Brush         Brush         Brush           PRODUCT WARRANTY         3yr Res, 90 Day Comm         3yr Res, 1YR Comm         3yr RES, 1YR Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8kg)           LIGHTS         N/A         LED         LED           ATTACHMENTS & ACCESSORIES         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains,         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains,         Debris Deflector, Tire Chains,	GEAR CASE	N/A	Cast Aluminum	Cast Aluminum
AUGER TYPE         Brush         Brush         Brush           PRODUCT WARRANTY         3yr Res, 90 Day Comm         3yr Res, 17R Comm         3yr Res, 17R Comm         3yr RES, 17R Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8kg)           LIGHTS         N/A         LED         LED           ATTACHMENTS & ACCESSORIES         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains,         Debris Deflector, Tire Chains,         Debris Deflector, Tire Chains,		N/A	N/A	N/A
PRODUCT WARRANTY         3yr Res, 90 Day Comm         3yr Res, 1YR Comm         3yr RES, 1YR Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8kg)           LIGHTS         N/A         LED         LED           ATTACHMENTS & ACCESSORIES         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,	AUGER DIAMETER	18 in (45.7 cm)	25 in (63.5 cm)	25 in (63.5 cm)
WARRANTY         90 Day Comm         1YR Comm         1YR Comm           LENGTH         65 in (165.1 cm)         72 in (183 cm)         72 in (183 cm)           WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8kg)           LIGHTS         N/A         LED         LED           ATTACHMENTS & ACCESSORIES           Debris Deflector, Tire Chains,         Debris Deflector, Tire Chains,         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains,         Debris Deflector, Tire Chains,	AUGER TYPE	Brush	Brush	Brush
WIDTH         33 in (83.8 cm)         44 in (111.8 cm)         44 in (111.8 cm)           HEIGHT         44 in (111.8 cm)         43 in (109.2 cm)         43 in (109.2 cm)           WEIGHT         238 lbs (107.9 kg)         373 lbs (169.19 kg)         403 lbs (182.8 kg)           LIGHTS         N/A         LED         LED           ATTACHMENTS & ACCESSORIES         Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains				
HEIGHT  44 in (111.8 cm)  43 in (109.2 cm)  403 lbs (182.8kg)  LED  LED  ATTACHMENTS & Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains	LENGTH	65 in (165.1 cm)	72 in (183 cm)	72 in (183 cm)
WEIGHT  238 lbs (107.9 kg)  373 lbs (169.19 kg)  403 lbs (182.8kg)  LIGHTS  N/A  LED  LED  ATTACHMENTS & Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains,	WIDTH	33 in (83.8 cm)	44 in (111.8 cm)	44 in (111.8 cm)
LIGHTS  N/A  LED  LED  ATTACHMENTS & Snow Cab, Front Caster Wheel, Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains	HEIGHT	44 in (111.8 cm)	43 in (109.2 cm)	43 in (109.2 cm)
ATTACHMENTS & Debris Deflector, Tire Chains, Debris Deflector, Tire Chains	WEIGHT	238 lbs (107.9 kg)	373 lbs (169.19 kg)	403 lbs (182.8kg)
ATTACHMENTS & Debris Deflector, Tire Chains, Debris Deflector, Tire Chains, Debris Deflector, Tire Chains	LIGHTS	N/A	LED	LED
wire Bristles wire Bristles wire Bristles				Snow Cab, Front Caster Wheel, Debris Deflector, Tire Chains, Wire Bristles





FRONT CASTER
SUSPENSION FORKS



**MULCH KIT** 





SUNSHADE










**AGGRESSIVE TREAD TIRE** 

# ARIENS® ACCESSORIES



# THE PERFECT LAWN NEED PEAK PERFORMANCE.

Enhance your Ariens performance and overall ownership experience with a collection of genuine OEM accessories that make it easy to keep your property in peak condition for years to come.







ARIENS.COM





Registered trademark and <sup>™</sup> trademark of AriensCo., Briggs & Stratton®, Kohler®, Kawasaki®, and Hydro-Gear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.ariens.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

© 2023 ARIENSCO. ALL RIGHTS RESERVED. 0223