
ARIENS®
ARIENS.EU

THE FAMILY THAT FEARS

NO FOR





FROM A SMALL DUSTING TO THE NEXT HUNDRED-YEAR STORM, THERE'S A BRIGHT ORANGE ARIENS® SNO-THRO® OUTPERFORMING EXPECTATIONS.

Our family of time-tested machines continue to uphold the Ariens name with generations of performance. Whichever Sno-Thro® you choose, you'll experience an unrivaled level of power, performance and durability. Explore the Ariens lineup to find the Sno-Thro for your driveway.

Going the extra mile feels like you're just getting started.

YOUR DRIVEWAY IS ONLY THE BEGINNING WHEN YOUR GARAGE IS HOME TO AN ARIENS SNO-THRO®.

With best-in-class power and performance, there isn't much you can't handle. Take care of what Mother Nature dishes out with the all-day comfort and world-class engineering you'll only find with the King of Snow®. From now on, extra is just the beginning.





NEVER BUCKLE WHEN WINTER SHROUDS YOUR WORLD. TURN TO THE TRUSTY ORANGE ANSWER FOR MOTHER NATURE'S WORST.

We've been chewing up and throwing out winter storms for decades. Dependability is built into every Ariens snow blower. Hand assembled in Wisconsin and rigorously tested worldwide, our machines deliver a quick start, powerful performance, and legendary reliability.


TAINS
AT A MOMENT'S NOTICE

4 MILLION



BRILLION, WISCONSIN PUT AN ENTIRE INDUSTRY ON THE MAP.

Each of the 4 million Ariens machines designed, fabricated and hand assembled in Brillion, Wisconsin are a reminder that it's the size of your heart, not the size of your factory that matters. In 24 countries around the world, the product of Ariens craftsmen pushes blizzards aside and clears the way for work to get done. In every corner winter touches, Ariens means performance.


MADE IN THE
USA
WITH GLOBALLY SOURCED PARTS














GOOD DEEDS
ACCUMULATE


WHEN AN ARIENS® SNO-THRO® RUMBLES TO LIFE, LIVING IN WINTER'S GRIP GETS A LITTLE EASIER AND NEIGHBORHOODS GET A LITTLE CLOSER.

Why stop with your driveway when you're in the zone with your Ariens snow blower? Across the world and online you'll see Ariens owners going the extra mile to clear a path for their neighbors.







NOW YOUR COMFORT ZONE EXTENDS TO EVERY DRIVEWAY.

IT'S A BREEZE TO EXPAND YOUR WINTER WONDERLAND WITH THE EASY TO START, EASY TO HANDLE, ALWAYS RELIABLE ARIENS® SNO-THRO®.

Armed with the technical efficiency and unshakable performance of Ariens, you'll blow through your driveway. Where some see a chore, you'll see a chance to rise above the rest.



INSTRUCTIONS


12 HOURS AT 20 BELOW

IS JUST THE BEGINNING

EVERY ARIENS SNO-THRO DESIGN IS TESTED IN A SPECIAL FACILITY JUST NORTH OF RIGOROUS.

The plan is simple. Find the most insane winter conditions and then test like crazy. Ariens snow blowers are put through their paces from top to bottom during non-stop, twelve-hour testing in some of nature's harshest conditions. Day after day, night after night, Ariens machines chew through over 200 inches of accumulation. In temperatures plummeting to -20 degrees Fahrenheit, engineers chew through tons of wet, back-breaking, lake-effect snow to ensure every feature lives up to the legendary performance only an Ariens Sno-Thro delivers.




ROI DE LA NEIGE
눈의 왕
KUNGEN AV SNÖ
ملك الثلج
КОРОЛЬ СНЕГА
מלך השלג
DAS SCHNEEWUNDER


キング・オブ・スノー
KONGEN AV SNØ
THE KING OF SNOW
雪之王者
DE SNEEUWKONING
REY DE LA NIEVE
KRÓL ŚNIEGU
#1 BRAND OF TWO-STAGE SNO-THRO®



SPEED AND TRACTION


Ariens RapidTrak combines track-system stability with the speed of a wheel driven Sno-Thro®.

MAXIMUM MANOEUVRABILITY

Adjust on the go by moving the back wheel up to turn with the ease of a wheeled Sno-Thro.

UNDISPUTED POWER

The dual-belt auger drive system delivers maximum torque quickly, so you can power through piles of snow.



WE DIDN'T REINVENT THE WHEEL. WE REVOLUTIONISED IT.

Winter is a wicked beast. It doesn't care that your driveway has a steep incline, has no mercy on a property positioned on a mountainside, and laughs at the ice lurking beneath the 10-inch bed of snow you're burdened with.

In the constant uphill battle against winter's brutal conditions, Ariens® has completely changed the competitive landscape. Our exclusive RapidTrak™ drive system puts you in full control of powering forward. Conquer the conditions on any terrain with superior handling and uninterrupted momentum.

With RapidTrak, Ariens leads the industry with our innovative combination of undisputed speed, command, versatility and manoeuvrability.

Experience the power and functionality of a track with the speed and manoeuvrability of a wheel.

POSITION 1 - TRACK

A traditional track position with the grip of a track for normal operation.

POSITION 2 - WHEEL

Effortlessly raise the rear wheel to make the machine function like a wheel-driven model.

POSITION 3 - DIG-IN

Shift the rear wheel down to pitch the auger housing and dig into hard-packed snow.



ARIENS

INTELLIGENCE MEETS POWER.

Not freezing your fingertips off while fiddling with your engine. That's a first. Not being bogged down by wet and heavy snow. That's a first. Firing up with one pull. That's a first. Ariens is proud to have been the first to feature the ease and efficiency of EFI engine technology in a snow blower.

Simply turn the key and start it up. No matter what the conditions. The Ariens® AX EZ-Launch™ EFI starts easier, uses less fuel and throws with more consistent power. EZ-Launch™ EFI allows you to be the first to start and first to finish.

Which is why before you start, think Ariens.



EFI/E-GOV POWER ADVANTAGE

Thanks to an electronic governor, EZ-Launch EFI maintains consistent speed and throwing performance. Unlike a typical carbureted engine it will maintain power available even in deep and wet drifts.

PROFESSIONAL
SERIES



**PRE-DAWN IS NO TIME FOR AMATEUR HOUR.
LEAVE IT TO A PROFESSIONAL.**

Designed and built for professionals, but also used by homeowners. The Professional series takes on the deepest, toughest and most treacherous jobs with ease. A massive 59.7cm housing height and 40.6cm auger team up with a tireless 420cc engine to swallow up to 81.6 tons of snow per hour and send it flying up to 18 metres.

1 YEAR
LTD. COMMERCIAL
WARRANTY

3 YEAR
LTD. RESIDENTIAL
WARRANTY



MODEL OVERVIEW

DESIGNATION	PROFESSIONAL 28	PROFESSIONAL 28 HYDRO EFI	PROFESSIONAL 28 HYDRO RAPIDTRAK®	PROFESSIONAL 32 HYDRO EFI
MODEL	926339	926336	926338	926340
ENGINE	Ariens AX 420cc (27.1 Nm)	Ariens AX EZ-Launch EFI 420cc (28.5 Nm)	Ariens AX EZ-Launch EFI 420cc (28.5 Nm)	Ariens AX EZ-Launch EFI 420cc (28.5 Nm)
STARTING SYSTEM	230V/Recoil	230V/Recoil	230V/Recoil	230V/Recoil
THROWING DISTANCE	0.9-18.3 m	0.9-18.3 m	0.9-18.3 m	0.9-18.3 m
CHUTE ROTATION	Quick Turn	Quick Turn	Quick Turn	Quick Turn
AUGER DIAMETER	40.6 cm	40.6 cm	40.6 cm	40.6 cm
HOUSING	71.1 x 59.7cm	71.1 x 59.7cm	71.1 x 59.7cm	81.2 x 59.7cm
TYRE SIZE	41 x 12 cm	41 x 12 cm	13.97 cm wide track	41 x 17 cm
TONS / HOUR	71.6 tons	71.6 tons	71.6 tons	81.6 tons

AUTO-TURN™ STEERING
Zero-degree turning radius.

ENGINE
Reliable Ariens AX engine.

HAND WARMERS
Stay warm and comfortable.

AUGER
40.6cm auger diameter.

RAPIDTRAK®
Maintain unmatched speed, stability and manoeuvrability.

HYDROSTATIC TRANSMISSION
Available option for infinite speed control.

DRIFT CUTTERS
Carve through deep snow.

EZ-LAUNCH™ EFI ENGINE
Available EFI engine starts easier and uses less fuel with consistent power.

SKID SHOES
Commercial-grade steel shoes.

DUAL-BELT DRIVE
Delivers maximum power and extended belt life.

PLATINUM
SERIES




FULLY LOADED WITH POWER & CONVENIENT FEATURES.

For homeowners looking for a next-level snow clearing experience, the Platinum series is the clear favourite. Combining the highest levels of comfort, convenience, and Super High Output (SHO) capability, Platinum machines are fully loaded with unparalleled power and premium options, defining the leading edge of residential Sno-Thro® performance.

3 YEAR
LTD. RESIDENTIAL
WARRANTY





MODEL OVERVIEW

DESIGNATION	PLATINUM 24 SHO EFI	PLATINUM 28 SHO EFI RAPIDTRAK®	PLATINUM 30 SHO EFI
MODEL	921327	921332	921331
ENGINE	Ariens AX EZ-Launch 369cc EFI/E-Gov (23.1 Nm)	Ariens AX EZ-Launch 369cc EFI/E-Gov (23.1 Nm)	Ariens AX EZ-Launch 369cc EFI/E-Gov (23.1 Nm)
STARTING SYSTEM	230V/Recoil	230V/Recoil	230V/Recoil
THROWING DISTANCE	0.9 - 16.76 m	0.9 - 16.76 m	0.9 - 16.76 m
CHUTE ROTATION	Quick Turn	Quick Turn	Quick Turn
AUGER DIAMETER	35.6 cm	35.6 cm	35.6 cm
HOUSING	60.9 x 53.3 cm	71.1 x 53.3 cm	76.2 x 53.3 cm
TYRE SIZE	41 x 12 cm	14cm wide track	41 x 12 cm
TONS / HOUR	66.2 tons	69.8 tons	74.3 tons

Enhanced or step-up feature

AUTO-TURN™ STEERING

Zero-degree turning radius.

HAND WARMERS

Stay warm and comfortable.

AUGER

35.6cm auger diameter.

SUPER HIGH OUTPUT (SHO)

SHO impeller throws up to 74.3 tons of snow/hour.

RAPIDTRAK®

Maintain unmatched speed, stability and manoeuvrability.

DUAL-BELT DRIVE

Delivers maximum power and extended belt life.

EZ-LAUNCH™ EFI ENGINE

EFI engine starts easier and uses less fuel with consistent power.

ENGINE

Reliable Ariens AX engine.

DELUXE SERIES



3 YEAR LTD. RESIDENTIAL WARRANTY

MODEL OVERVIEW

DESIGNATION	DELUXE 24	DELUXE 28	DELUXE 28 RAPIDTRAK
MODEL	921323	921324	921330
ENGINE	Ariens® AX 254cc (17.3Nm)	Ariens® AX 291cc (19.5Nm)	Ariens® AX 291cc (19.5Nm)
THROWING DISTANCE	0.9 - 15.2 m	0.9 - 15.2 m	0.9 - 15.2 m
CHUTE ROTATION	2.5x Ice Drill	2.5x Ice Drill	2.5x Ice Drill
AUGER DIAMETER	35.6 cm	35.6 cm	35.6 cm
HOUSING	60.9 x 53.3 cm	71.1 x 53.3 cm	71.1 x 53.3 cm
TYRE SIZE	41 x 12 cm	41 x 12 cm	14cm (5.5") Wide Track
TONS / HOUR	56.2 tons	58.9 tons	58.9 tons

STRAIGHT-FORWARD POWER AND PERFORMANCE.

A no-nonsense machine that's solid as steel, the Deluxe clears snow without question or compromise. Traverse the terrain with the ease of Auto-Turn steering technology, while a high, 53.3cm housing, large impeller and 35.6cm auger diameter take on up to 58.9 tons of snow per hour and send it flying up to 15.2 metres.

AUTO-TURN™ STEERING

Zero-degree turning radius.

ENGINE

Reliable Ariens® AX engine.

DUAL-BELT DRIVE

Delivers maximum power and extended belt life.

RAPIDTRAK®

Maintain unmatched speed, stability and manoeuvrability.

AUGER

35.6cm auger diameter.

TYRES

16" directional tires provide improved mobility and agility.

COMPACT SERIES



3 YEAR LTD. RESIDENTIAL **WARRANTY**

MODEL OVERVIEW

DESIGNATION	COMPACT 24	COMPACT TRACK 24
MODEL	920329	920318
ENGINE	Ariens® AX 208cc (12.7Nm)	Ariens® AX 208cc (12.7Nm)
THROWING DISTANCE	0.9 - 12.2 m	0.9 - 12.2 m
CHUTE ROTATION	2.5x Quick Turn	2.5x Quick Turn
AUGER DIAMETER	27.9 cm	27.9 cm
HOUSING	60.9 x 50.8 cm	60.9 x 50.8 cm
TYRE SIZE	38 x 13 cm	13.97cm Wide Track
TONS / HOUR	53.5 tons	53.5 tons

Enhanced or step-up feature

** CARB UNIT*

SURE, IT LOOKS SMALL, BUT OUR COMPACT POWERHOUSE PACKS A BIG-TIME PUNCH.

From a light dusting to residential sidewalk duty, the Compact Sno-Thro® combines effortless agility and legendary Ariens® ability. Light and easy to handle, this all-steel workhorse features a high, 50.8cm housing and 27.9cm auger to clear up to 59 tons of snow per hour while sending it flying up to 12.2 metres.

AUGER

27.9cm auger diameter.

ENGINE

Reliable Ariens AX engine and electric start gets you running with ease.

TRACK

Available track system for improved traction on any terrain.

TYRES

15" directional tyres provide improved mobility and agility.

CLASSIC
SERIES



3 YEAR
LTD. RESIDENTIAL
WARRANTY

MODEL OVERVIEW

DESIGNATION	CLASSIC 24
MODEL	920328
ENGINE	Ariens AX 208cc (12.7 Nm)
STARTING SYSTEM	230V/Recoil
THROWING DISTANCE	0.9-12.2 m
CHUTE ROTATION	2.5x Quick Turn
AUGER DIAMETER	27.9 cm
HOUSING	60.9 x 50.8 cm
TYRE SIZE	33 x 10 cm
TONS / HOUR	52.6

BUILT TO STAND THE TEST OF TIME.

For consistent clearing performance that pays off, turn to the Classic Sno-Thro® from Ariens®. From the handlebars to the housing, the all-steel Classic is built to stand the test of time. The compact design makes it light and easy to control while interlocking levers allow for effortless, one-handed operation. A steel serrated auger cuts through snow allowing a 30.5cm, high-speed impeller to send it flying through a steel quick turning chute.

EASY TO USE

The compact design makes it light and easy to control.

INTERLOCKING LEVERS

Gain the upper hand with interlocking levers that allow for effortless, one-handed operation.

SERRATED AUGER

Cut through the toughest snow in a snap with a steel, serrated auger.

2.5X QUICK-TURN CHUTE

Put powder in its place with a 2.5X Quick-Turn Chute with 205˚ rotation.

ALL-STEEL CONSTRUCTION

From the handlebars to the housing, the Classic is built to stand the test of time.

ACCESSORIES

PERFECT THE PERFORMANCE.

Enhance your Ariens® Sno-Thro® performance and overall ownership experience with a collection of genuine OEM parts and accessories that make it easy to keep your property in peak condition for years to come.

1



2



3



1 ARIENS BRANDED PREMIUM SNOW CAB

Protect yourself from the elements with a spacious, rugged, steel-frame safe haven.

2 ARIENS SNOW SHOVEL


The 26-inch Ariens® Sno Shovel moves large volumes of snow quickly and touches up tight areas.


3 ARIENS STEEL SKID SHOE KIT (ORANGE)

Commercial-duty steel skid shoes help protect your investment for years to come.

ACCESSORIES







GENUINE OEM PARTS

1 SNOW CAB

Protect yourself from the elements with a spacious, rugged, steel-frame safe haven.

2 HEATED HANDLEBARS

Dash-controlled hand-warmers keep your hands cosy and comfortable at the helm

3 DRIFT CUTTERS

Carve your way through packed, icy, stubborn snow with steel drift cutters

4 TYRE CHAINS


Superior two-link spaced cross chains power over hills, ice and hard packed snow.

5 FLOOR MAT

While your machine is at rest, put this mat to work to protect your garage floor from snow and water.

6 SKID SHOES

Solid polymer or commercial-duty steel skid shoes help protect your investment for years to come.













7 TURF CASTERS

Wheel caster kit gives your Power Brush system more agile, mobile performance.

8 MAINTENANCE KIT

Keep your Ariens running with routine maintenance products engineered to withstand the harshest winter.

9 COVER

Waterproof, washable and tear-resistant, this Ariens branded cover protects your Sno-Thro when it's not in use.

ARIENS®

SPECIFICATIONS

	PROFESSIONAL 28	*PROFESSIONAL 28 HYDRO EFI*	*PROFESSIONAL 28 HYDRO RAPIDTRAK EFI*	*PROFESSIONAL 32 HYDRO EFI*
MODEL #	926339	926336	926338	926340
STAGE TYPE	Two Stage	Two Stage	Two Stage	Two Stage
ENGINE POWER	420cc	420cc EZ-Launch EFI/E-Gov	420cc EZ-Launch EFI/E-Gov	420cc EZ-Launch EFI/E-Gov
ENGINE BRAND	Ariens AX	Ariens AX	Ariens AX	Ariens AX
STARTING SYSTEM	230V/Recoil	230V/Recoil	230V/Recoil	230V/Recoil
CLEARING WIDTH	71.1cm (28")	71.1cm (28")	71.1cm (28")	81.28cm (32")
HOUSING HEIGHT	59.7cm	59.7cm	59.7cm	59.7cm
THROWING DISTANCE	0.9-18.2m	0.9-18.2m	0.9-18.2m	0.9-18.2m
CHUTE TURNING RADIUS	200˚	200˚	200˚	200˚
CHUTE ROTATION	Quick Turn	Quick Turn	Quick Turn	Quick Turn
DEFLECTOR CONTROL	Remote	Remote	Remote	Remote
TYRE SIZE	41 x 12cm	41 x 12cm	13.97cm (5.5") Wide Track	41 x 17cm
TYRE TYPE	Directional Snow Tread	Directional Snow Tread	Directional Snow Track	Directional Snow Tread
STEERING	Auto-Turn™	Auto-Turn™	Auto-Turn™	Auto-Turn™
DRIVE TYPE	Disc-O-Matic	Hydrostatic	Hydrostatic	Hydrostatic
SPEEDS	6 Forward / 2 Reverse	Variable	Variable	Variable
GEAR CASE	Cast Iron	Cast Iron	Cast Iron	Cast Iron
GEAR CASE WARRANTY	5-year Limited Consumer 5-year Limited Commercial	5-year Limited Consumer 5-year Limited Commercial	5-year Limited Consumer 5-year Limited Commercial	5-year Limited Consumer 5-year Limited Commercial
IMPELLER PROFILE	Steel 3 Blade	Steel 3 Blade	Steel 3 Blade	Steel 3 Blade
IMPELLER DIAMETER	35.6cm	35.6cm	35.6cm	35.6cm
AUGER DIAMETER	40.6cm	40.6cm	40.6cm	40.6cm
AUGER TYPE	Steel Serrated	Steel Serrated	Steel Serrated	Steel Serrated
SKID SHOES	Commercial Skids	Commercial Skids	Commercial Skids	Commercial Skids
SCRAPER BAR	Steel Adjustable	Steel Adjustable	Steel Adjustable	Steel Adjustable
PRODUCT WARRANTY	3-year Limited Consumer 1-year Limited Commercial	3-year Limited Consumer 1-year Limited Commercial	3-year Limited Consumer 1-year Limited Commercial	3-year Limited Consumer 1-year Limited Commercial
LENGTH	153.2cm	153.2cm	153.2cm	153.2cm
WIDTH	76.7cm	76.7cm	76.7cm	86.9cm
HEIGHT	118.4cm	118.4cm	118.4cm	118.4cm
DRY WEIGHT	140kg	142.9kg	151.5kg	145.6kg
FEATURES	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters, One Hand Interlock	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters, One Hand Interlock	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters, One Hand Interlock, RapidTrak System	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters, One Hand Interlock

	PLATINUM 24 SHO EFI	*PLATINUM 28 SHO EFI RAPIDTRAK*	*PLATINUM 30 SHO EFI*
MODEL #	921327	921332	921331
STAGE TYPE	Two Stage	Two Stage	Two Stage
ENGINE POWER	369cc EZ-Launch EFI/E-Gov	369cc EZ-Launch EFI/E-Gov	369cc EZ-Launch EFI/E-Gov
ENGINE BRAND	Ariens AX	Ariens AX	Ariens AX
STARTING SYSTEM	230V/Recoil	230V/Recoil	230V/Recoil
CLEARING WIDTH	60.9cm (24")	71.1cm (28")	76.2cm (30")
HOUSING HEIGHT	53.3cm	53.3cm	53.3cm
THROWING DISTANCE	0.9-16.7m	0.9-16.7m	0.9-16.7m
CHUTE TURNING RADIUS	200˚	200˚	200˚
CHUTE ROTATION	Quick Turn	Quick Turn	Quick Turn
DEFLECTOR CONTROL	Remote	Remote	Remote
TYRE SIZE	41 x 12cm	14cm (5.5") Wide Track	41 x 12cm
TYRE TYPE	Directional Snow Tread	Directional Snow Track	Directional Snow Tread
STEERING	Auto-Turn™	Auto-Turn™	Auto-Turn™
DRIVE TYPE	Disc-O-Matic	Disc-O-Matic	Disc-O-Matic
SPEEDS	6 Forward / 2 Reverse	6 Forward / 2 Reverse	6 Forward / 2 Reverse
GEAR CASE	Cast Iron	Cast Iron	Cast Iron
GEAR CASE WARRANTY	5-year Limited Consumer 1-year Limited Commercial	5-year Limited Consumer 1-year Limited Commercial	5-year Limited Consumer 1-year Limited Commercial
IMPELLER PROFILE	High Speed Steel 3 Blade	High Speed Steel 3 Blade	High Speed Steel 3 Blade
IMPELLER DIAMETER	35.6cm	35.6cm	35.6cm
AUGER DIAMETER	35.6cm	35.6cm	35.6cm
AUGER TYPE	Steel Serrated	Steel Serrated	Steel Serrated
SKID SHOES	Steel Reversible	Steel Reversible	Steel Reversible
SCRAPER BAR	Steel Adjustable	Steel Adjustable	Steel Adjustable
PRODUCT WARRANTY	3-year Limited Consumer 90-day Limited Commercial	3-year Limited Consumer 90-day Limited Commercial	3-year Limited Consumer 90-day Limited Commercial
LENGTH	148.1cm	148.6cm	148.1cm
WIDTH	67.1cm	75.9cm	82.3cm
HEIGHT	116.6cm	115.1cm	116.6cm
DRY WEIGHT	123.8kg	128.4kg	133.3kg
FEATURES	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock, Super High Output	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, One hand interlock, RapidTrak System	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock, Super High Output

SPECIFICATIONS

	DELUXE 24	*DELUXE 28*	*DELUXE 28 RAPIDTRAK*
MODEL #	921323	921324	921330
STAGE TYPE	Two Stage	Two Stage	Two Stage
ENGINE POWER	254cc (16.9Nm)	291cc (19.5Nm)	291cc (19.5Nm)
ENGINE BRAND	Ariens® AX	Ariens® AX	Ariens® AX
STARTING SYSTEM	230V/Recoil	230V/Recoil	230V/Recoil
CLEARING WIDTH	60.9cm (24")	71.1cm (28")	71.1cm (28")
HOUSING HEIGHT	53.3cm	53.3cm	53.3cm
THROWING DISTANCE	0.9-15.2m	0.9-15.2m	0.9-15.2m
CHUTE TURNING RADIUS	200°	200°	200°
CHUTE ROTATION	2.5 x Ice Drill	2.5 x Ice Drill	2.5 x Ice Drill
DEFLECTOR CONTROL	Remote	Remote	Remote
TYRE SIZE	41 x 12cm	41 x 12cm	14cm (5.5") Wide Track
TYRE TYPE	Directional Snow Tread	Directional Snow Tread	Directional Snow Track
STEERING	Auto-Turn™	Auto-Turn™	Auto-Turn™
DRIVE TYPE	Disc-O-Matic	Disc-O-Matic	Disc-O-Matic
SPEEDS	6 Forward / 2 Reverse	6 Forward / 2 Reverse	6 Forward / 2 Reverse
GEAR CASE	Cast Iron	Cast Iron	Cast Iron
GEAR CASE WARRANTY	5-year Limited Consumer 1-year Limited Commercial	5-year Limited Consumer 1-year Limited Commercial	5-year Limited Consumer 1-year Limited Commercial
IMPELLER PROFILE	Steel 3 Blade	Steel 3 Blade	Steel 3 Blade
IMPELLER DIAMETER	35.6cm	35.6cm	35.6cm
AUGER DIAMETER	35.6cm	35.6cm	35.6cm
AUGER TYPE	Steel Serrated	Steel Serrated	Steel Serrated
SKID SHOES	Steel Reversible	Steel Reversible	Steel Reversible
SCRAPER BAR	Steel Adjustable	Steel Adjustable	Steel Adjustable
PRODUCT WARRANTY	3-year Limited Consumer 90-day Limited Commercial	3-year Limited Consumer 90-day Limited Commercial	3-year Limited Consumer 90-day Limited Commercial
LENGTH	148.1cm	148.1cm	148.6cm
WIDTH	67.1cm	75.9cm	75.9cm
HEIGHT	116.6cm	116.5cm	115.1cm
DRY WEIGHT	108kg	117.5kg	128.4kg
FEATURES	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock	Halogen Headlight, Handwarmers, Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock

	COMPACT 24	*COMPACT TRACK 24*	*CLASSIC 24*
MODEL #	920329	920318	920328
STAGE TYPE	Two Stage	Two Stage	Two Stage
ENGINE POWER	208cc (12.8Nm)	208cc (12.8Nm)	208cc (12.8Nm)
ENGINE BRAND	Ariens® AX208	Ariens® AX208	Ariens® AX208
STARTING SYSTEM	230V/Recoil	230V/Recoil	230V/Recoil
CLEARING WIDTH	60.9cm (24")	60.9cm (24")	60.9cm (24")
HOUSING HEIGHT	50.8cm	50.8cm	50.8cm
THROWING DISTANCE	0.9-12.2m	0.9-12.2m	0.9-12.2m
CHUTE TURNING RADIUS	205°	205°	205°
CHUTE ROTATION	2.5 x Quick Turn	2.5 x Quick Turn	2.5x Quick Turn
DEFLECTOR CONTROL	Remote	Remote	Remote
TYRE SIZE	38 x 13cm	14cm (5.5") Wide Track	33 x 10cm
TYRE TYPE	Directional Snow Tread	Directional Snow Track	Polar Trac
STEERING	Auto-Turn™	Solid Axle	Pin Lock
DRIVE TYPE	Disc-O-Matic	Disc-O-Matic	Disc-O-Matic
SPEEDS	6 Forward / 2 Reverse	6 Forward / 2 Reverse	6 Forward / 2 Reverse
GEAR CASE	Cast Iron	Cast Iron	Aluminium
GEAR CASE WARRANTY	5-year Limited Consumer 1-year Limited Commercial	5-year Limited Consumer 1-year Limited Commercial	3-year Consumer 90-day Commercial
IMPELLER PROFILE	Steel 3 Blade	Steel 3 Blade	Steel 3 Blade
IMPELLER DIAMETER	30.5cm	30.5cm	30.5cm
AUGER DIAMETER	27.9cm	27.9cm	27.9cm
AUGER TYPE	Steel Serrated	Steel Serrated	Steel Serrated
SKID SHOES	Steel Reversible	Steel Reversible	Steel Reversible
SCRAPER BAR	Steel Adjustable	Steel Adjustable	Steel Adjustable
PRODUCT WARRANTY	3-year Limited Consumer 90-day Limited Commercial	3-year Limited Consumer 90-day Limited Commercial	3-year Limited Consumer 90-day Limited Commercial
LENGTH	131.8cm	131.8cm	131.8cm
WIDTH	67cm	67cm	67cm
HEIGHT	112.5cm	112.5cm	112.5cm
DRY WEIGHT	81.2kg	98.9kg	79.8kg
FEATURES	Halogen Headlight, Handwarmers (optional), Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock	Halogen Headlight, Handwarmers (optional), Remote Deflector, Electric Start, Drift Cutters (optional), Track Drive, One Hand Interlock	Remote Deflector, Electric Start, Drift Cutters (optional), One Hand Interlock



VISIT US ONLINE AT: ARIENS.EU

For product information, customer reviews, product videos, dealer locator and customer support

Ariens Company Limited, Countax House, Great Haseley, Oxford OX44 7PF
Telephone: +44 (0)1844 278 800 • uksales@ariens.com • www.ariens.eu

Registered trademark and ™ trademark of Ariens Company. Kohler®, Subaru® and Hydro-Gear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.ariens.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Images are a representation of the product; actual product may vary.

© 2020 ARIENSCO. ALL RIGHTS RESERVED.