

# Instruction Sheet

## Kit Number: 72602200


### 36" WIRE BRISTLE KIT

**WARNING:** FAILURE TO FOLLOW INSTRUCTIONS could result in personal injury and/or damage to unit. Read, understand and follow all safety practices in Owner's Manual before beginning.

#### Package Contents


Check the contents of your kit for the parts listed below. Also see Figure 1.

Item	Description	Qty	Ariens P/N
1	10 x 25 x 2" Wire Bristle Disk	18	04686300




#### Installation

1. Remove end support covers from both sides of unit. Retain hardware. See Figure 2.




2. Remove bearing nuts and washers from end support on both sides of unit. Retain hardware. See Figure 3.


**NOTE:** It is not necessary to remove bolts.




3. Tip unit backward onto handlebars. Bolts from end support will fall out and brush will stay on ground. See Figure 4.




- Stand brush head on end and remove end plate. Retain hardware. See Figure 5.



- Remove disks from top half of brush head and discard.
- Install new disks (Item 1) on top half of brush head. Align locator pins on alternating drive core tubes to evenly distribute rotating force throughout entire support shaft assembly. See Figure 6.



- Repeat Step 6 until nine disks are installed on this half of brush head.
  - Install end plate.
- NOTE:** Compress disks to install end plate.
- Turn brush head on other end.
  - Repeat Steps 5 – 8.
  - Position brush head horizontally on ground.
  - Insert gearbox splined shaft on brush head into u-joint on housing. See Figure 7.



13. Lift unit to upright position.
14. Install end support on both sides of unit. Insert bolt from behind. Insert washer and nut on bolt and tighten.
15. Install end support covers on both sides of unit.